

## door systems collection 2011

## pivot door systems

Corinthian Pivot Door Systems are designed to handle the weight of taller and wider doors, for more impressive entrance ways.




This high quality, flat packed pivot door and frame system is the 'easy-to-install' solution and is an appealing alternative to traditional hinges.

### **KEY FEATURES:**


- Handles the weight of taller and wider doors.
- High quality flat packed pivot frame for easy installation.
- Available in a selection of high quality and stylish, glazed timber door designs.
- Frame can include sidelights and transom if required.
- Backed by Corinthian's 5 year guarantee.



Corinthian Pivot Door Systems carry the weight top and bottom, rather than on traditional hinged jambs



Regular hinged door







Pivot Detail



INFINITY **INFWS 6G** Translucent



**INFINITY INFWS 5VG** Clear



**SUNBURST** SUNWS GL Rice Paper



**INFINITY INFWS 8G** Translucent



Slumped Waterfall

glass options











Obscure



LUMINA LUM 1 Clear



LUMINA LUM 1S Clear



LUMINA LUM 3 Clear



LUMINA LUM 3S Clear



LUMINA LUM 5 Clear



**LUMINA** LUM 5S Clear



by William Russell Doors **FUSM 101** Jarrah



WAVE by William Russell Doors Translucent



Rice Paper



Please refer to William Russell Doors brochure for more designs, glass options and details. Obscure glass varies from state to state. Infinity INFWS 8G available in 2340mm height only. Please refer to Corinthian Collection Brochure for more details and sizes and glass options available for each design. 3

## enviroseal door entry system




Door entry systems with Enviro-seal<sup>™</sup> will help homes achieve valuable energy savings.


Gaps around doors and windows in the average home can result in a serious loss of winter warmth or summer's air-conditioned cool.



- Energy savings for the home.
- Provides wind and noise insulation.
- Reduction of dirt penetration into the home.
- Self draining sill conducts water away from the door.
- Backed by Corinthian's 5 year guarantee.



Aluminium, self-draining sill protects your door from water and reduces dirt penetration.



The Enviro-seal sill is available in a natural anodised finish for durability and a smart, modern look.





Enviro-seal assists in energy saving for the home whilst providing wind and noise insulation and preventing water penetration and air leaks.





Enviro-seal beneficially seals your entrance door around factory-fitted jambs and across a selfdraining sill.

## quickslide wardrobe system

Make them a feature or let them blend into the background, Quickslide wardrobe doors perform their task with absolute efficiency.




Quickslide adds value to the home as it uses quality Corinthian timber doors and components which allows easy matching of the wardrobe door with internal feature doors in the home.

#### **KEY FEATURES:**


- Available with a wide selection of quality and stylish timber internal doors, including mirrored, flush or feature panel designs.
- Offered in all the door widths plus standard and full height options.
- Choice of 2 track colours: white or satin silver.
- Choice of 2, 3 or 4 door units.
- Adjustable nylon rollers provide smooth, quiet and durable operation.
- Easy step by step installation leaflet available.
- Backed by Corinthian's 5 year guarantee.




Track colour options



Top track profile in satin silver



Bottom track profile in satin silver



Timber finger grip



Wardrobe (for illustrative purposes only)

## pre-hung internal door system

A perfect fit every time... Pre-Hung takes the hard work out of door installation.

This unique system combines the door, jamb, mullion and hinges in one package, pre-machined and ready to install.

#### **KEY FEATURES:**

- Suitable for most Corinthian internal doors.
- Jamb head to take reversible jamb stiles.
- Half hinges fitted equidistant from both ends of jamb stile and door.
- Bright chrome hinges available.
- Easy step by step installation leaflet available.
- Backed by Corinthian's 5 year guarantee.



Left hand hinged

**Right hand hinged** 





Single door unit Two door unit







Four door unit



Pre-Hung package


Anding and configurations

# specifications door systems

#### **PIVOT FRAME OPTIONS**

PVTFAMB PVTFC1	PVTFC2			
Frame Design	Door Size	Frame Size		
<b>PVTFAMB</b> Frame Single	2040 x 1200 x 40	2165 x 1268*		
	2340 x 1200 x 40	2465 x 1268		
	Optional Transom available			
PVTFC1 Frame Single with 1 unglazed panel	2040 x 1200 x 40	2165 x 1370-1700*		
	2340 x 1200 x 40	2465 x 1370-1700		
	Optional Transom available			
PVTFC2 Frame Single with 2 unglazed panels	2040 x 1200 x 40	2165 x 1500-2100*		
	2340 x 1200 x 40	2465 x 1500-2100		
	Optional Transom available			

Please contact Corinthian Doors for Frame Options details. \*Cutdown option available for frame to finish 2143mm tall.



	•	
Frame Design	Jamb Size	Overall Size
EA - Single	140mm	2140 x 782mm
		2140 x 882mm
		2140 x 932mm
		2140 x 982mm
		2400 x 782mm
		2400 x 882mm
		2400 x 932mm
		2400 x 982mm
EB - Double to suit rebated pair of doors	140mm	2140 x 1692mm
EB - Double to suit 2 doors & mushroom stop	140mm	2140 x 1715mm
EC1 - Single with 1 sidelight	140mm	2140 x 1308mm
		2140 x 1358mm
EC1 - Single with 1 sidelight including	140mm	2140 x 1210
glazing bead	140mm	2140 x 1330
	140mm	2140 x 1450
EC2 - Single with 2 sidelights	140mm	2140 x 1734mm
	140mm	2140 x 1784mm
EC2 - Single with 2 sidelights including glazing bead	140mm	2140 x 1450mm
EE - Single with 1 sidelight including	140mm	2140 x 1210mm
glazing bead and midrail		2140 x 1330mm
		2140 x 1450mm
EH - Single with 2 sidelights including glazing bead and midrail	140 x 40mm	2140 x 1450mm

#### QUICKSLIDE

Overall height: unit height = 2065mm using door 2040mm unit height = 2365mm using door 2340mm.

unit neight – 2000mm using 000r 2040mm.						
	OVERALL WIDTH with flush pull provision					
USING DOOR WIDTH	870	820	720	620		
Two door unit (mm)	1811	1711	1511	1311		
Three door unit (mm)	2700	2550	2250	1950		
Four door unit (mm)	3589	3389	2989	2589		

Includes aluminium tracking system for the top, bottom and each side of the door unit.

#### **NEW SOUTH WALES Showroom:**

**St Marys** 17-35 Lee Holm Road, St Marys (02) 9673 7111 **Warehouses:** 

**Newcastle** 301 Hillsborough Road, Warners Bay (02) 4956 7875 **Kempsey** Lot 10/12 Queens Street, Kempsey (02) 6562 7977

#### **VICTORIA Showrooms:**

**Dandenong** 6 Healey Road, Dandenong (03) 9794 1122 **Campbellfield** 11 Somerton Road, Campbellfield (03) 9308 6977

#### **QUEENSLAND Showrooms:**

Acacia Ridge 16 Colebard Street East, Acacia Ridge (07) 3715 0100
Cairns Corner Scott and Wellington Streets, Cairns (07) 4031 3888
Gold Coast Unit 2/138 Spencer Road, Nerang (07) 5578 3466
Sunshine Coast 110 Sugar Road, Maroochydore (07) 5475 0444

#### SOUTH AUSTRALIA Showroom:

Regency Park 38 Birralee Road, Regency Park (08) 8243 0888

#### WESTERN AUSTRALIA Showroom:

Canning Vale 32 Coulson Way, Canning Vale (08) 9455 1333

#### **EXPORT Enquiries:**

17-35 Lee Holm Road, St. Marys, Sydney (02) 9673 7100

#### DISCLAIMER

This catalogue features an extensive range of Corinthian products that are generally available at the time of printing. Designs and dimensions may alter without notice. Photographs or illustrations may not exactly depict the design or specification and may vary to actual. We reserve the right to amend specifications at any time, without notice, in the interest of quality, performance and availability of materials. Visiting a showroom is recommended.

Corinthian Industries (Australia) Pty Ltd

© Corinthian Doors 2011



